

# THE LEADERS' CHOICE

- Provide multiple product options
- Covering all waterproofing fields such as bridges, civil buildings, industry & military.



### **WATERPROOF COATING**

Thermal insulation and waterproof coating







INDIA'S FIRST IMPORTED BRAND PRODUCT ISO 9001: 2015 CERTIFIED COMPANY



# HEAT REFLECTIVE THERMAL INSULATION WATERPROOF COATING

Can be insulated and waterproof Drops 30 degrees straight Give you coolness

- Quadruple insulation
- Insulation and cooling
- Fearless of the scorching sun
- Energy Saving







### **Product Feature**



Heat Insulation Cooling



Green Environment Protection



**Energy Saving** 



Strong Weather Resistance



UV Resistance



Construction Convenient

## Are you still working on it are these issues troubling you?

Summer comes, and the high temperature only increases without decreasing



High temperature exposure and stuffiness in the factory



High temperature weather results in significant air conditioning losses



Poor roof waterproofing & thermal insulation performance



Supermarket food is prone to spoilage



## Convenient construction ready to use upon opening the bucket

Single component, cold construction, even novices can easily handle it HEATGUARD **Heat Reflection Thermal** 



### Low temperature resistance test

Frozen at minus 30°C, it still doesn't peel or fade






### High temperature resistance test

Boiled at 100°C, fadeless, anti-aging







## Nature & Environmentally Friendly Safe, Healthy, Odorless


Environmentally friendly coatings with no pungent odor





### Analysis of thermal Insulation principle

Fluorocarbon heat reflection heat insulation waterproof coating is an efficient heat insulation coating made of imported lotion, sunscreen molecular material and micro heat insulation technology, which has excellent reflection and heat insulation functions.





# Heat reflective thermal insulation waterproof coating

Triple insulation, thermal insulation cooling, no fear of scorching sun, energy saving and consumption reducing, blocking heat conduction, reducing indoor temperature, playing a role in energy conservation and energy consumption reduction, achieving dual functions of waterproofing and energy saving.





## Strong coating toughness fearless of settlement & cracking

Gap / unseal / expansion joint can be applied





## Real shot cooling by 30 degrees wide applicability

Cement / ceramic tiles / iron sheets / sunrooms can all be brushed without obvious insulation effect





### **Product Parameters**

Please carefully read the construction precautions to avoid any inconvenience caused by construction issues

**Product Type** 

**Heat Guard** 

**Product Specification** 

20 KG

**Product Shape** 

Liquid Type

**Product Color** 

White

**Product Features** 

Thermal insulation cooling, green environment protection, UV resistance, strong weather resistance, convenient construction, consumption reduction.

Scope of application

The scope of application is applicable to insulation and waterproofing projects on exposed roofs, concrete roofs, metal roofs, terraces, sloping roofs and exterior walls.

Reference amount

Suggested usage per square meter is 1.5-2.0 kg the thicker the coating, the better the effect. It is recommended that the coating thickness be no less than 1.2 mm.



### Widely Applicable

Suitable for insulation and waterproofing works on exposed roofs, concrete roof, metal roofs, terraces, sloping roof, and exterior walls
















### **Construction Process**

Simple 4-Step Construction easily waterproof and repair leaks




1

Clean the base layer and keep it clean and free of dirt.



2

After stirring evenly in the bucket, apply the first thin brush directly on the base layer



3

After the first coat is dry, cross coat the second and third coats, wait for the paint to completely dry before the construction is completed.



4

The combination of polyester cloth detailing treatment for the concrete base and all overlapping joints of the base is more effective.



### **Our Special Clients**



















































#### Marketed by:

#### INDIA HEAD OFFICE:

B-40 Mayapuri Indl. Area Phase-1 ,New Delhi -110064,India

M.: +91 9999809983

E.: Sales@injectiongroutresin.com

W.: injectiongroutresin.com

#### SAUDI ARABIA/UAE HEAD OFFICE:

Al Rawda District/2,Hamed Al Jasser St PO Box 8515 Jeddah 23435 Kingdom of Saudi Arabia

M.: +966 50 277 8692

E.: admin@injectiongroutresin.com

W.: injectiongroutresin.com





